

2220 Midland Ave. Unit 39-41 Scarborough, ON M1P 3E6 Canada

Installation of Artcut for ASC Cutting Plotter

This guide is used for Windows user to install Artcut for ASC cutting plotter. Users should follow the steps to install the software, Artcut include two WENTAI CD, and Artcut software CD must be insert to you PC first, After installation of the first CD, the other CD is needed for the rest installation. Before installing Artcut, if user uses a USB line to link the plotter, USB driver for cutting plotter must have been installed.

1. Insert Artcut software CD, and then open the dick to run the program.



2. Choose language, and we suggest to use English. And then click next to continue.



www.asc365.com



2220 Midland Ave. Unit 39–41 Scarborough, ON M1P 3E6 Canada

-----

Artcut2009 Setup		Artcut2009 Setup	Le X
		License Agreement	
	Welcome to the InstallShield Wizard for Artcut2009	Please read the following license agreement carefully.	24
	The InstallShield? Wizard will install Artcut2009	Press the PAGE DOWN key to see the rest of the agreement.	
	on your comparer. To commue, circk Next.	Artcut6(R) version 7.0 (English) Copyright (C) 1998-2008 Wentai Technology Co. Lmd. All Rights Reserved	A II
		License Agreement	
		You should carefully read the following terms and conditions before using this software. Unless you have a different license agreement signed by Wentai Century Co. Ltd. your use of this	Ŧ
		Do you accept all the terms of the preceding License Agreement? If you select No, the setup will close. To install Artcut2009 , you must accept this agreement.	Print
	< Back Next > Cancel	InstallShield	No
			~
rtcut2009 Setup		Artcut2009 Setup	X
Choose Destination Location Select folder where setup will in	n ıstall files.	Setup Type Select the setup type to install.	22
Setup will install Artcut2009 in the following folder.		Click the type of setup you prefer, then click Next.	
To install to this folder, click Ner another folder.	xt. To install to a different folder, click Browse and select	Typical Program will be installed with the most common options. Rec most users.	ommended for
		Compact Program will be installed with minimum required options.	
Destination Folder		Custom You may select the options you want to install. Recommende users.	d for advanced
c:\artcut6	Browse		
nstallShield —	< Back Next > Cancel	InstallShield	Cancel
1-1-1-2000 C-1-1-			
Select Program Folder Please select a program folder.			
Setup will add program icons to name, or select one from the exi	the Program Folder listed below. You may type a new folder isting folders list. Click Next to continue.		
Program Folder:			
enomenus			
Existing Folders:			
FlexiSTARTER 10.5 VicSign E	idiion 🔺		
Foxmail Games		Installing Copying legend files	
Maintenance Microsoft Office	E	c:\artcutb\newtuku\Fengh.tk	
QuickTime			
Startup Ulead VideoStudio 10	•	Cancel	
nstallShield	< Back Next > Cancel		

\_\_\_\_\_

www.asc365.com



2220 Midland Ave. Unit 39-41 Scarborough, ON M1P 3E6 Canada

Artcut2009 Setup	
	InstallShield Wizard Complete The InstallShield Wizard has successfully installed Attcut2009 . Click Finish to exit the wizard.
	< Back Finish Cancel

3.After installation, A logo comes on the desktop, and then, double click the Artcut2009, at the first time of running the software, it will ask user to insert the other disk to the DVD –ROM to continue. Then follow the steps by clicking NEXT.

	About Artcut 2009	
	Artcut 2009	77.0.0 Date:2009/11/17
Artcuit2009 (6)	Logo der Telephone: (010) 8268566 http://www.artout.cn/ E-mail: sales@ut.com.c	The People's Republic of China National Copyright Administration Soft with Deng Ji No 121779. "Artcut" and "Ventai" are trademarks of Beijing Ventai Technology CO.,Ltd All rifhts reserved. S7, 82684378 n, tech@wt.com.cn ne.
Walaama		X
welcome		
	[defined by us	ser] 🔻
	Width: 8.189	Inch
	Height: 11.614;	2 : Inch
	🖲 Portrait	Create
	🔿 Landscape	
Open	Version	Cancel

4. Run Device manager. The Check the USB port of the plotter in Device manager, setup the port as following.

-----

www.asc365.com

\_\_\_\_



2220 Midland Ave. Unit 39–41 Scarborough, ON M1P 3E6 Canada

• 🗣 📰 📓 🚺 🖬 🕺 😫 🍕 🚳		
ZM-PC		
Disk drives		
Display adapters		
DVD/CD-ROM drives		
Floppy drive controllers		
De TDE ATA/ATAPI controllers		
Keyboards		
Mice and other pointing devices		
Monitors		
Network adapters		
Ports (COM & LPT)		
Communications Port (COM7)		
打印机端口 (LPT1)		
Processors		
Sound, video and game controllers		
Storage controllers		
⊳ ₁∰ System devices		
🔈 - 🏺 Universal Serial Bus controllers		

\_\_\_\_\_

www.asc365.com



2220 Midland Ave. Unit 39-41 Scarborough, ON M1P 3E6 Canada

····································	USB-SERIAL CH340 (COM1) Properties

5.Import or input any data, and click the plotter logo on the tool bar. Setup the configuration of the device refer to image.

\_\_\_\_\_

www.asc365.com

\_\_\_\_



2220 Midland Ave. Unit 39–41 Scarborough, ON M1P 3E6 Canada

\_\_\_\_\_

S ARCUTZUU9[] - [Untitle-1]	
Q Q I I I I I I I I I I I I I I I I I I	V 1.5748Inch 👻
	· · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·	
	<u>A</u>
A	Ξ
	8
	玛
80	
X=3.9182 Y=2.8951 Width=7.2175 High=1.5 Foot Width	0.6613 Font High:1.03
Install Cutting Plotter	
Manufacturers: Device	
Add Add	
IOLINE GRAPHTEC	
ROland SIGN PAL (904mm) ANA XINYI DX450 Setup	
PCUT HFGL	
SILKROAD HPGL	
MIMAKI SANXING JINA	
TUWANG From Disc	
Installed Device	
Delete	
Close	

\_\_\_\_\_

www.asc365.com



2220 Midland Ave. Unit 39–41 Scarborough, ON M1P 3E6 Canada

-----

it/Plot		×
Device HPGL	Device Width: 8.	189 : Inch
Setup	Height: Ju Start Po: Horiz 0 Vert 0	sition ition Inch Inch
vinyl Size Viser Defined] ▼ F 応	► Sort Platting	Test Cut/Plot
Width:       12.9528       Inch         Height:       590.512       Inch	Fill Output	Close Copies
Plot Area: Page: 1 Area: 1 Joint: Omm	Output Ratio Num 100%  Vert 1 bl  Change	bers 1

\_\_\_\_\_

www.asc365.com



2220 Midland Ave. Unit 39–41 Scarborough, ON M1P 3E6 Canada

-----

t/Plot						x
Device	HPGL		•	Device	Page Size-	89 - Inch
Link to	COM1	•	Setup		Height: 10.	7087 <u>:</u> Inch
					_Start Posi	tion
					Horiz O	Inch
5					Vert 0	Inch
}						
\$ 5						Test
4 1				Þ	]	lest
-Vinyl Si: [User D	ze efined]	T F	-   A	V Sort P	lotting	Cut/Plot
, Width: 1	2.9528 :	Inch	 ₹	Fill 0	utput	Close
Height: E	590.512 🔆	Inch	4	Save pape	er 🔻	Copies
-Plot Area	a:		Preview	-Output Ratio	Numb	ers 1 🗄
rage:  1				100%	- Horiz	0 ÷ Inc
Area:  1			Plot by Col	ors		
Joint: U	mm 💌			1 bl: 🗸	Vert	
			📃 🔲 Multi-per	r out <sup>0</sup> 🕂	Change	

\_\_\_\_\_

Port Setting		
Installed Ports: C	OM1	<b>•</b>
Type of Ports	Port No.: 1 Port Name: COM1	Parameters
C File C Vser Defined	Add	Change
C USB	Delete	Cancel

www.asc365.com



2220 Midland Ave. Unit 39-41 Scarborough, ON M1P 3E6 Canada



www.asc365.com



2220 Midland Ave. Unit 39–41 Scarborough, ON M1P 3E6 Canada

Cut/Plot	
Device HPGL  Link to COM1  Setup	Device Page Size Width: 8.189 : Inch Height: 10.6693 : Inch
uoogaa	Start Position Horiz 0 : Inch Vert 0 : Inch
Vinyl Size	Test Cut/Plot
Width:     12.9528     Inch       Height:     590.512     Inch	✓ Sort Plotting Fill Output Close Save paper Conjes
Plot Area: Page: 1 + Area: 1 + Joint: Omm + Multi-pen	Output Ratio 100%  Vumbers 1 Horiz 0 Inch tout0 Change Numbers 1 Inch Numbers 1 Inch Numbers 1 Inch Inch Inch Inch

6. Be sure the plotter is ready to work, do not install the cutter on the plotter at first time. Any mistake may cause damage. Click START to layout.

\_\_\_\_\_

10

www.asc365.com



2220 Midland Ave. Unit 39-41 Scarborough, ON M1P 3E6 Canada

Output To Cutter	
All Jobs: 1 rent	Jobs: 1
Width: 179 Length: 2	5 Copies: 1
🖲 Cut Mode 🔎 Cont Out	Length: 5 📰 mm
C Draw mode C Diostamp Cut	Jump Length: 1 mm
Port: COM1 💌 Sta	tus:
Start Cancel	Stop

Caution:

1. User should read this guide and Artcut software manual before use, and keep it safe.

\_\_\_\_\_\_

- 2. This manual is used for ASC cutting plotter only.
- 3. The port settings must match with this guide.

11

www.asc365.com